



132L3216 @

FC-102P7K5T4E55H3TGXXXXSXXXXAXB4CXXXXDX

Frequency Converter
FC-102P7K5T4E55H3TGXXXXSXXXXAXB4CXXXXDX
VLT® HVAC Drive FC-102
(P7K5) 7.5 KW / 10 HP, Three phase
380 - 480 VAC, IP55 / Type 12
(H3) RFI Class A1/B (C1)

Safe Stop

Graphical Loc. Cont. Panel Not coated PCB, No Mains Option

Latest release std. SW.

Frame: A5

No C1 option, No D option No A Option, MCB-114 VLT Sensor Input

Other options according to Model Code

Model code: FC-102P7K5T4E55H3TGXXXXSXXXXAXB4CXXXXDX

Danfoss Drive is dedicated to ventilation, heating, and refrigeration applications. With a wide range of powerful standard and optional features, the Drive provides the lowest overall cost of ownership.

View Efficiency Data ☑

PRODUCT DETAILS

| | 14.35 kg |
|------|--|
| | 13.7 kg |
| | 52.36 |
| | 5714853426065 |
| IES | |
| GLBL | Global (Standard) |
| FC- | VLT® HVAC Drive FC- |
| 102 | 102 |
| P7K5 | (P7K5) 7.5 KW / 10 HP |
| T | Three phase |
| 4 | 380 - 480 VAC |
| E55 | IP55 / Type 12 |
| H3 | (H3) RFI Class A1/B (C1) |
| T | Safe Stop |
| G | Graphical Loc. Cont. Panel |
| X | Not coated PCB |
| X | No Mains Option |
| X | Standard Cable Entries |
| X | No adaptation |
| SXXX | Latest release std. SW. |
| X | Standard Language Pack |
| AX | No A Option |
| B4 | MCB-114 VLT Sensor Input |
| CX | No C0 option |
| X | No C1 option |
| | GLBL FC- 102 P7K5 T 4 E555 H3 T G X X X X X AX SXXX X AX B4 CX |



PRODUCT DETAILS

| C Option Software | XX | No software option |
|-------------------------------|---------|-------------------------|
| | | · |
| D Option | DX | No D option |
| Frame Size | A5 | A5 |
| Product Catalog | NO_VIEW | NO VIEW |
| Typecode Part 1 | | FC-102P7K5T4E55H3TGX |
| Typecode Part 2 | | XXXSXXXXAXB4CXXXXDX |
| Power 110% (NO) [KW] | | 7.5 |
| Height [mm] | | 420,0 |
| Width w/ no C options [mm] | | 242,0 |
| Depth [mm] | | 200,0 |
| Depth with Option A/B [mm] | | 200,0 |
| kVA | | 11.1 |
| Power Loss NO [W] | | 255 |
| Power Loss NO [W] | | 255 |
| Continuous Current (NO) [A] | | 16 |
| Intermittent Current (NO) [A] | | 17.6 |
| Continuous Current (NO) [A] | | 14.5 |
| Intermittent Current (NO) [A] | | 16 |
| Calculated Gross Weight [kg] | | 14.6 |
| Calculated Net Weight [kg] | | 14.3 |
| Vendor | ERR01 | Cannot Determine Vendor |
| Recommended Factory | ERR01 | Cannot Determine Vendor |
| Modelcode01 | | FC-102P7K5T4E55H3TGX |
| Modelcode02 | | XXXSXXXXAXB4CXXXXDX |
| | | |

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🗷

Accessories



130B4598 12

Weather shield f. outdoor instl A4 to B2

Weather shield for enclosure sizes A4, A5, B1, B2



130B7532 🗷

Mounting Kit f. C Option, A5

VLT® Mounting kit for enclosure size A5.

To be used when retrofitting the following MCO options:

MCO 102 Advanced Cascade Control

 ${\sf MCO\,305\,Programmable\,Motion\,Controller}$

MCO 350 Synchronizing Controller

MCO 351 Positioning controller MCO 360 Salt Controller

MCO 361 Lift Controller

MCB 113 Extended relay card (Located in MCO slot)

Product group: R1

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





130B5436 @

Side Fixture Mounting Kit

Side Fixture Mounting Kit for enclosure size A5 / B1 / B2 / C1 / C2

To be used when retrofitting the following MCA options:

MCA 120 Profinet

MCA 121 EtherNet

MCA 122 Modbus TCP

MCA 123 POWERLINK

MCA 124 EtherCAT

Product group: R1



130B5435 🗷

DIN Rail Mounting Kit



130B1170 @

LCP Panel Mounting Kit

The kit includes fasteners and gasket. No LCP and no cable included.



130B1387 🗷

5xMCB107 24VDC no coat w.out mount brack



130B1385 ☑

VLT® Profibus DP V1 MCA101, unctd 5pcs



130B1028 🗷

Panel Through Mounting Kit, A5

 $Push-through\ frame\ kit\ for\ FC\ size\ A5\ Contains\ mounting\ frame,\ seal,$

Fastening material and assembly instructions.



130B1135 🗷

VLT® PROFINET MCA 120, UNCOATED

MCA 120 PROFINET interface

- -Supports operation on PROFINET network with extensive properties
- -DCP support for easy setting u. Communication parameters via the PLC
- On Board web-Page with Drive Status
- Parameterization with the MCT10 software
- 2 port version, reduced external hardware



130B1124 @

VLT® Control Panel LCP 101, numeric

Numerical control unit for FC 100 and FC 300. Allows access to all device parameters.

Quick menu for brief commissioning. Manual / auto switchover and alarm acknowledgment.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





130B1117 🗷

LCP Mounting Kit, w/ no LCP

The kit includes fasteners, 3m cable and gasket - There is no LCP included.



130B1155 🗷

USB extension Cable, 350mm

USB extension kit for FC 300 cable length: 350mm for the housing size: B2, C1 and C2 screw connection M 25 $\,$



130B1080 🗷

Mounting Brackets, IP55/66, A5

Mounting brackets for enclosure size A5



130B1077 🗷

Blindcover, w/ Danfoss logo, IP55/66

LCP Blindcover IP66



130B1070 ¹²

RS485 plug, FC series, 10 pcs

10pcs RS485 connectors for FC-series. Product group: R



130B1108 🗷

VLT® 24V DC Supply MCB 107, uncoated

Connect an external DC supply to keep the control section and any installed option alive during power failure. Enables full operation of the LCP (including the parameter setting) and all installed options without connection to mains.



130B1102 🗷

VLT® DeviceNet MCA 104, uncoated

Robust, efficient data handling thanks to advanced Producer/Consumer technology. ODVA's strong conformance testing policies ensure products are interoperable, and the AC-drive profile, supported using I/O instance 20/70.21/71, secures compatibility to existing systems.



130B1100 🗷

VLT® Profibus DP V1 MCA 101

Provides wide compatibility, a high level of availability, support for all major PLC vendors and compatibility with future versions. Fast, efficient communication, transparent installation, advanced diagnosis and parameterization and auto-configuration of process data using GSD-file. Acyclic parameterization using PROFIBUS DP-V1, ¬PROFIdrive or Danfoss FC profile state machines, PROFIBUS DP-V1, Master Class 1 and 2.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





130B1098 🗷

Back plate, IP55/Type12, A5

FC 300 back cover for the devices in IP21 / 55 Case size: A5



175Z0929 🗷

LCP Cable, 3m

Cable for control panel (LCP), 3 meters Works with the following LCP: Alphanumeric control panel LCP3 - 175N0131 VLT® LCP 102 Graphic Display - 130B1107 VLT® LCP 101 Numeric Display - 130B1124

VLT® LCP 102 Graphic display IP66 - 130B1078

Product group: F1

Image coming

175U0009 🗷

Mounting bracket Kit, 216 x 30 x 18mm

Mounting angle for flatpack resistor 200W



175N2584 ¹²

VLT® EtherNet/IP Modbus TCP gateway

Image

134B5225 🗷

Remote LCP unit, 10m

Remote mounting kit for LCP with cover for outdoor mounting with 10 m (33 ft) cable



134B5224 12

Remote LCP unit, 5m

Remote mounting kit for LCP with cover for outdoor mounting with 5 m (16 ft) cable



134B5223 🗷

Remote LCP unit, 3m

Remote mounting kit for LCP with cover for outdoor mounting with 3 m (10 ft) cable

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





134B0460 12

LCP 103 Wireless Communication Panel

With VLT® Wireless Communication Panel LCP 103 you can communicate with MyDrive® Connect - an app that can be downloaded for iOS and Android based smartphones. MyDrive® Connect makes commissioning easy, monitor and maintain tasks on your frequency converter. VLT® Wireless Communication Panel LCP 103 shows the current status of the drive (On, Warning, Alarm, Wifi connection) via built-in LED. Detailed information is also available using MyDrive® Connect. Here do you have access to i.a. status, menu and alerts. You can also see graphs over the latest available data.

The new VLT® Wireless Communication Panel LCP 103 allows you to wireless communication to the following drives:

- VLT® HVAC Drive FC 102
- VLT® Refrigeration Drive FC 103
- VLT® AQUA Drive FC 202
- VLT® AutomationDrive FC 302

[!] Note!

LCP 103 only works on frequency converters produced in 2018 (White USB stik)

Product group: R1

Image coming

134B1992 12

Control Terminals w/ screw connections



130B1106 🗷

VLT® LonWorks MCA 108, uncoated

Developed for building automation, it enables communication between individual units in the same system (peer-to-peer) and supports decentralizing of control. No need for main station (master-follower). Units receive signals directly. Supports Echelon free-topology interface (flexible cabling and installation) and embedded I/Os and I/O options (easy implementation of decentral I/Os). Sensor signals can quickly be moved to another controller using bus cables. Certified as compliant with LonMark ver. 3.4 specifications.



130B1144 🗷

VLT® BACnet MCA 109, uncoated

Open communication protocol dedicated to building automation

- Efficient integration of all parts of building automation equipment
- BACnet: standard for building automation worldwide
- International standard ISO 16484-5
- can be used in all sizes of building automation systems
- the Drive communicates easily with construction management systems running the BACnet protocol
- can be easily integrated into the network of existing control equipment Product group: R1

For more information, please use this link to visit the product page on Danfoss Product Store 🗅





134B7093 🗷

VLT C-option Adapter MCF 107



130B0295 12

sparepart/terminals accessory bag



130B1023 🗷

Accessory bag for smooth cable entry A5

accessory bag for a5 enclosure



134B1586 12

VLT® BACNET/IP MCA125

The VLT® BACnet/IP MCA 125 option is a plug-and-play solution that optimizes the use of VLT® HVAC Drive together with building management systems using the BACnet/IP protocol or running BACnet on Ethernet. The embedded three-port managed switch of the VLT® BACnet/IP MCA 125 option comprises two external and one internal Ethernet port. This switch allows the use of line structure for the Ethernet cabling. In modern installation this is becoming increasingly attractive

Image coming

130B4847 12

extension cable for lcp+communication



134B8492 ¹²

Transducer 0-10g, 4-20mA; HS-22B50



134B8493 🗷

Transducer 0-25mm/s RMS 4-20mACBM Transducer 0-25mm/s RMS 4-20mA



134B8494 🗷

Transducer w, temp 0-25mm/s RMS 4-20mA



134B8496 12

CABLE ASSY 10M, STRAIGHT SOCKET CONNETC.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



| Accessories | |
|-------------------------|--|
| Image coming soon | 134B8497 © Cable assy, M12 female connec.10m screen |
| lmage coming soon | 134B6883 년 VLT Progr. Contr. MCB 301, coated |
| | 134B7466 년 Option A Ethernet Package |
| | 134B9406 |
| | 134B9405 |
| | 134B9404 |
| | 134B9402 |
| | 134B9401 ៤ Pressure 500Pa & 7000Pa & PT1000, Modbus |
| | 134B9400 |

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



Spare Parts



130B4185 🗷

Plastic cover for IP55 frame size A5



130B9001 @

multiple 2 pole power combicon, 24V plug



130B1017 🗷

Fan assembly 92x92x38mm

FC heatsink fan, frame size A5



130B1023 🗷

Accessory bag for smooth cable entry A5

accessory bag for a5 enclosure



130B0264 12

Cradle for A5,B1,B2,C1,C2,D2h enclosure

cradle for LCP cradle for a5, b1,b2,c1,



130B0295 🗷

sparepart/terminals accessory bag



130B1077 🗷

Blindcover, w/ Danfoss logo, IP55/66

LCP Blindcover IP66



130B1073 🗷

10 pole connector



130B1072 🗷

8 pole connector



130B1069 🗷

Multiple relay 1 plug

spare, 3 pole connector, relay 1, fc300

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Spare Parts



130B1068 12

Multiple relay 2 plug

spare, 3 pole connector, relay 2, fc300



130B1066 🗷

Multiple twisted mains plug

Multiple twisted mains plug



130B1064 12

Terminal block for brake and loadsharing

Terminal block for brake and loadsharing



130B1107 @

VLT® Control Panel LCP 102

Graphic operating unit LCP102 Illuminated graphic display with plain text. Supports all languages and characters. Quick menu for brief commissioning. Saving and copying parameter sets. Online help for each function



134B1729 2

Control Card with safe stop for FC-102

NOTE

The MKII control cards are backward compatible to the old cards but will only work with SW equal or higher than 5.21. If your drive has a customer specific software or a brand labeled software version please order the old control card MKI, PN: 130B1150



134B6880 12

VLT Progr. Contr. MCA 301, coated



134B7172 ¹²

Gasket for local control panel IP55/66



134B7178 12

24 pole 3 connector jumper for C option

24 pole 3 connector jumper for C option



134B5998 🗷

24 pole jumper/2 connector jumper

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Spare Parts



134B7349 12

Internal fan assembly for A5 IP55



134B7466 B

Option A Ethernet Package



134B6883 🗷

VLT Progr. Contr. MCB 301, coated



130B1071 🗷

6 Pole Connector, FC series, 10 pcs 6-pole spring cage connectors 10 pcs

Services



131F3242 @

FC-102P7K5T4E55H1UGCXXXSXXXXAXBXCXXXXDX

Frequency Converter

FC-102P7K5T4E55H1UGCXXXSXXXXAXBXCXXXXDX

VLT® HVAC Drive FC-102

(P7K5) 7.5 KW / 10 HP, Three phase

380 - 480 VAC, IP55 / Type 12

(H1) RFI Class A1/B (C1)

Brake chopper + Safe stop

Graphical Loc. Cont. Panel

Coated PCB, No Mains Option

Latest release std. SW.

Frame: A5

No C1 option, No D option

No A Option, No B Option

Other options according to Model Code

Model code: FC-102P7K5T4E55H1UGCXXXSXXXXAXBXCXXXXDX

Danfoss Drive is dedicated to ventilation, heating, and refrigeration applications. With a wide range of powerful standard and optional features, the Drive provides the lowest overall cost of ownership.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





130R1121 🗷

DrivePro ExWarr Work Shop PG03 30 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1120 🗈

DrivePro ExWarr Work Shop PG03 24 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1122 2

DrivePro ExWarr Work Shop PG03 36 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1123 [™]

DrivePro ExWarr Work Shop PG03 42 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1126 🗷

DrivePro ExWarr Work Shop PG03 60 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1125 @

DrivePro ExWarr Work Shop PG03 54 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1124 @

DrivePro ExWarr Work Shop PG03 48 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1127 🖸

DrivePro ExWarr Work Shop PG03 66 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1128 @

DrivePro ExWarr Work Shop PG03 72 Month

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1024 ¹²

DrivePro ExWarr Onsite PG03 48 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new

drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1025 🗷

DrivePro ExWarr Onsite PG03 54 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1020 ¹²

DrivePro ExWarr Onsite PG03 24 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1022 F8

DrivePro ExWarr Onsite PG03 36 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1021 🗷

DrivePro ExWarr Onsite PG03 30 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1027 P

DrivePro ExWarr Onsite PG03 66 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1026 [™]

DrivePro ExWarr Onsite PG03 60 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1028 🗷

DrivePro ExWarr Onsite PG03 72 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1023 12

DrivePro ExWarr Onsite PG03 42 Months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1303 🗷

DrivePro Start-Up unit pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.



130R1324 @

DrivePro Start-Up ctrl. IFT test small

DrivePro Start-Up Control interface testing small frame unit



130R1321 2

DrivePro Start-Up special applic. small

DrivePro Start-Up special applications small frame unit



130R1313 🗷

DrivePro Start-Up 1 day on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1312 @

DrivePro Start-Up 1 Day Pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- $\bullet \ Maximum \ energy \ savings \ to \ the \ Customer.$
- Extend the AC drive's lifespan.
- · Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.



130R1304 @

DrivePro Start-Up unit on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.





130R1380 🗷

DrivePro Start-Up 1/2 day pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.



130R1381 2

DrivePro Start-up 1/2 day on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- \bullet Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.



130R1348 🗷

DrivePro Remote Monitoring - Annual Fee

For more information, please use this link to visit the product page on Danfoss Product Store 🗷